




STILGRAFIC




**Consommables De l'arte Graphique
Vente machines**

**Consumibles de Artes Graficas
Venta de Maquinaria**




FELTKBA1



FELTKBA2



FELTKBA3



FELTKBA4



SEAL KBA 104



SEALING STRIP 105



INK SEALING TAPE



FBKBA 104



FBKBA 142



FBKBA P1



FBKBA P2



FBKBA P3



BMGM



KADH



SHEETKBA120



SHEETKBA140



SHEETKBAPIN



SHEETKBAC1



SHEETKBAC2



SHEETKBAC3



SHEETBRKBA1



SHEETBRKBA2



SHEETBRKBA3



BWKBA1



BWKBA2



BWKBA3



BWKBA4



BWKBA5



BWKBA6



BWKBA7



BWKBA8



BWKBA9



RWK1



RWK2



RWK3C



RWK4C



HRKBA1



HRKBA2



HRKBA3



HRKBA4



HRKBA5



TABKBA1



TABKBA2



TABKBA3



RSKBA20




M8.135.590



M8.135.580



105 DELIVERY SUCKER



M8.910.200



P8.436.961



GRIPPER COMPLETE



DELIVERY GRIPPER



00.000.0000



PO.611.187




PO.135.240



L6.177.540



85.365.019




BACKWATER VALVE



WATER ROLLER GEAR



KBA BLOWER



00.580.1103




T.P44.14F




BLANKET CLAMP



MHE2.M1H



KBA 104



PRESSURE PUMP



T9.028.200




INK CHAMBER 55UM



INK CHAMBER 70UM



KBA METRONIC



CR.245.0WC



ROLLER HOLDER



TOPPLED BEARINGS



P1.017.600



00.000.0000



00.000.0000



00.000.0000



00.000.0000



00.000.0000



00.000.0000



ANTI MARKING




SUPER BLUE



ANTI SET



METER 03



PALETTES GRAPHITE



FILTER MATS



VSPON



KNIFEMT



KNIFE



WEGC3



STILGRAFIE

PLATINUM 0.5 .020" 0.40/.016" 50 to 100	APPLE GREEN 1.5 .060" 0.45/.018" 260 to 300	TANGERINE 2.3 .090" 0.60/.024" 400 to 465	LIGHT OAK 3.2 .126" 0.70/.028" 550 to 675
DAFFODIL 0.6 .024" 0.30/.012" 50 to 100	YELLOW 1.5 .060" 0.50/.020" 290 to 335	RED 2.3 .090" 0.70/.028" 420 to 465	LEAF 3.2 .126" 0.80/.032" 560 to 685
FIRE 0.6 .024" 0.40/.016" 50 to 100	FUCHSIA 1.5 .060" 0.55/.022" 300 to 335	LEMON 2.3 .090" 0.80/.032" 450 to 500	VIOLET 3.2 .126" 1.00/.040" 560 to 685
ALPINE 0.8 .032" 0.30/.012" 50 to 100	NAVY BLUE 1.5 .060" 0.60/.024" 300 to 335	BLUEBELL 2.3 .090" 1.00/.040" 450 to 500	FUDGE 3.2 .126" 1.20/.048" 560 to 685
ORANGE 0.8 .032" 0.40/.016" 50 to 150	ROSEWOOD 1.5 .060" 0.70/.028" 350 to 365	RACING GREEN 2.5 .099" 0.60/.024" 460 to 500	TOPAZ 3.5 .138" 0.60/.024" 570 to 695
ROYAL BLUE 0.8 .032" 0.45/.018" 60 to 160	RUBY 1.5 .060" 0.80/.032" 350 to 365	DUSK 2.5 .099" 0.70/.028" 460 to 500	BOTTLE GREEN 3.5 .138" 0.70/.028" 570 to 695
BLUEBERRY 1.0 .040" 0.30/.012" 60 to 160	HOLLY 1.6 .063" 0.40/.016" 360 to 370	MANILLA 2.5 .099" 0.80/.032" 460 to 500	MARINE BLUE 3.5 .138" 0.80/.032" 580 to 700
BEIGE 1.0 .040" 0.40/.016" 100 to 175	CORNFLOWER 1.6 .063" 0.50/.020" 360 to 370	LIME 2.7 .106" 0.40/.016" 460 to 500	BLUSH 3.5 .138" 1.00/.040" 580 to 700
PEACH 1.0 .040" 0.50/.020" 165 to 190	SPEARMINT 1.6 .063" 0.60/.024" 360 to 370	SAND 2.7 .106" 0.60/.024" 460 to 500	CORNELIAN 4.0 .158" 0.80/.032" 620 to 735
LIGHT PINK 1.2 .048" 0.30/.012" 170 to 195	LAVENDER 1.6 .063" 0.80/.032" 360 to 370	PEPPERMINT 2.7 .106" 0.70/.028" 460 to 500	CYCLAMEN 4.0 .158" 0.90/.036" 630 to 740
LILAC 1.2 .048" 0.40/.016" 150 to 200	MOONSTONE 1.7 .065" 0.30/.012" 360 to 370	BLUE 2.7 .106" 0.80/.032" 460 to 500	CARNIVAL RED 4.0 .158" 1.00/.040" 650 to 790
IVORY 1.2 .048" 0.45/.018" 185 to 225	VANILLA 1.7 .068" 0.40/.016" 360 to 370	POLAR WHITE 2.7 .106" 1.00/.040" 475 to 550	GREY 4.0 .158" 1.20/.046" 665 to 800
OLIVE 1.2 .048" 0.50/.020" 210 to 240	AVOCADO 1.7 .068" 0.50/.020" 350 to 375	HONEYSUCKLE 3.0 .118" 0.60/.024" 485 to 565	AMBER 5.0 .197" 0.80/.032" 620 to 735
ROSE PINK 1.3 .052" 0.30/.012" 210 to 240	POWDER BLUE 1.7 .068" 0.55/.022" 350 to 375	ONYX 3.0 .118" 0.70/.028" 485 to 565	SUNFLOWER 5.0 .197" 1.00/.040" 650 to 790
PALE BLUE 1.3 .052" 0.40/.016" 225 to 275	PURPLE 1.7 .068" 0.60/.024" 350 to 400	NASTURTIUM 3.0 .118" 0.80/.032" 490 to 575	BLACK 5.0 .197" 1.50/.060" 650 to 790
WHITE 1.3 .052" 0.45/.018" 240 to 270	CINNAMON 1.7 .068" 0.70/.028" 350 to 375	BROWN 3.0 .118" 1.00/.040" 535 to 665	COCONUT 6.0 .236" 0.80/.032" 650 to 790
BRIGHT GREEN 1.3 .052" 0.50/.020" 240 to 290	PACIFIC BLUE 1.7 .068" 0.80/.032" 350 to 400	PISTACHIO 3.0 .118" 1.40/.056" 550 to 675	COBALT BLUE 6.0 .236" 1.00/.040" 910 to 990
BLACK 1.3 .052" 0.55/.022" 240 to 300	MUSTARD 1.9 .075" 0.40/.016" 350 to 400	CANARY 3.2 .126" 0.60/.024" 550 to 675	CREAM 6.0 .236" 1.70/.068" 900 to 1000
AUBERGINE 1.3 .055" 0.60/.024" 240 to 290	ICE BLUE 1.9 .075" 0.50/.020" 350 to 400		
SHERBET 1.3 .055" 0.70/.028" 240 to 290	GREEN 1.9 .075" 0.60/.024" 350 to 400		
TITANIUM 1.4 .055" 0.30/.012" 240 to 290	COFFEE 1.9 .075" 0.70/.028" 360 to 400		
OCEAN 1.4 .055" 0.40/.016" 240 to 290	ASH GREY 1.9 .075" 0.80/.032" 365 to 400		
TOFFEE 1.4 .055" 0.45/.018" 240 to 290	EBONY 2.1 .083" 0.50/.020" 375 to 410		
TERRACOTTA 1.4 .055" 0.50/.020" 240 to 290	DIAMOND WHITE 2.1 .083" 0.60/.024" 385 to 435		
LAGOON 1.4 .055" 0.55/.022" 240 to 290	BURGUNDY 2.1 .083" 0.65/.026" 385 to 435		
LIGHT ORANGE 1.5 .060" 0.30/.012" 250 to 300	SANDSTONE 2.1 .083" 0.70/.028" 385 to 435		
FLAME 1.5 .060" 0.40/.016" 250 to 300	PINK 2.1 .083" 0.80/.032" 400 to 465		

linearcrease

linearcrease



Wash-up Blades

Our wash-up blades are manufactured to fine tolerances for perfect fit on old and new presses alike. They are resistant to chemical attack from inks and solvents and are highly efficient and durable.

A perfect profile ensures excellent wash-up results each time, reducing the amount of wash-up chemicals used and reducing down-time on the press.

Our blades are available for the vast majority of offset sheet-fed, web and continuous form presses in either metal/rubber, metal/urethane, rubber (EPDM), plastic or Tufnol format. Each individual blade is presented in a plastic sleeve with the machine reference for easy identification.

- Size and style specification guaranteed
- High resistance to wear
- Accurate fit first time - no adjustment required
- Corrosion-proof steel
- Chemical resistant rubber and plastic
- Individually packed in protective sleeve
- Moulded rubber tip chemically bonded - no breakdown

M

HEID14 - Heidelberg SM102/CD102 - Metal/Rubber

U

UMITSUBISHI41 - Mitsubishi 3FH/Diamond 3000 - Metal/Urethane

P

ROLAND25 - Roland 700 - Plastic

E

OLIVER04 - Oliver 66 - EPDM Rubber

C

HEID34 - Heidelberg Platen GT - Metal/Rubber Combination

T

HEID84 - Heidelberg K5 - Tufnol

KBA

KBA02	KBA	SRO	P	770	50	1.0	30 5/16	1 31/32	3/64	8
KBA01	KBA	SRO (old model)	M	770	50	0.5	30 5/16	1 31/32	1/64	8
KBA37	KBA	Rapida 74	P	780	40	1.0	30 45/64	1 37/64	3/64	0
KBA05	KBA	Rapida 72	M	780	46	0.5	30 45/64	1 13/16	1/64	11
KBA19	KBA	Performa 74	P	803	24	2.0	31 39/64	15/16	5/64	0
KBA36	KBA	Performa 74	E	803	24	3.0	31 39/64	29/32	1/8	0
KBA15	KBA	Rapida 75	E	815	24	3.0	32 3/64	15/16	1/8	0
KBA16	KBA	Rapida 75	P	815	24	3.0	32 3/64	15/16	1/8	0
KBA03	KBA	Rapida 104 (narrow)	M	1130	46	0.5	44 31/64	1 13/16	1/64	0
KBA04	KBA	Rapida 104 (wide)	M	1130	51	0.5	44 31/64	2	1/64	0
KBA06	KBA	Rapida 104 (wide)	M	1130	51	0.5	44 31/64	2	1/64	12
KBA18	KBA	Rapida 105	P	1140	45	2.0	44 7/8	1 49/64	5/64	0
KBA10	KBA	Rapida 105	M	1140	46	0.5	44 7/8	1 13/16	1/64	0
KBA07	KBA	Rapida 105	M	1140	55	0.5	44 7/8	2 11/64	1/64	11
KBA12	KBA	Rapida 105	P	1160	35	2.0	45 21/32	1 3/8	5/64	0
KBA38	KBA	Rapida 106	M	1160	38	0.5	45 21/32	1 1/2	1/64	0
KBA20	KBA	Rapida 106	M	1160	43	0.5	45 21/32	1 11/16	1/64	0
KBA13	KBA	Rapida 106	P	1160	43	1.0	45 21/32	1 11/16	3/64	0
KBA11	KBA	Rapida 142	M	1510	65	0.5	59 29/64	2 9/16	1/64	17
KBA08	KBA	Rapida 160	M	1700	65	0.5	66 59/64	2 9/16	1/64	19
KBA09	KBA	Rapida 162	M	1710	65	0.5	67 21/64	2 9/16	1/64	19
KBA22	KBA	Rapida 165	M	1740	55	0.5	68 1/2	2 11/64	1/64	0


KBA WEB

KBA24	KBA	Compacta S60	M	1214	70	0.5	47 51/64	2 3/4	1/64	8
-------	-----	--------------	---	------	----	-----	----------	-------	------	---



MAQUINA	FORMATO CMS.	0,050	0,100	0,150	0,200	0,250	0,300	0,400	0,500
TO	370 x 270	1,7864	2,552	3,3176	4,3384	6,1248	7,1456	9,6976	15,312
GTO 46	448 x 350	2,0416	2,8072	4,0832	5,3592	7,4008	8,932	11,7392	18,5136
KM 46	85 x 340	2,2968	3,0624	4,3384	6,1248	8,1664	10,208	13,2704	20,7408
GTO 52	510 x 360	2,2968	3,3176	4,5936	6,38	8,6768	10,4632	13,7808	21,692
S.M. 52	533 x 377	2,8072	4,0832	5,6144	7,4008	9,9528	11,7392	15,0568	23,6176
MO - 01	650 x 530	3,5728	5,8696	8,932	11,7392	15,5672	18,8848	25,2648	39,556
KOM L28	730 x 555	4,0832	6,38	10,208	13,7808	18,8848	22,4576	29,348	45,936
SORM	730 x 595	4,0832	6,38	10,7184	14,5464	19,9056	23,7336	30,624	47,8616
KBA 74	740 X 545	4,0832	6,38	10,7184	14,5464	19,9056	23,7336	30,624	47,8616
ROLA 200	740 x 605	4,5936	6,8904	11,2288	15,5672	20,9264	24,7544	31,9	50,0888
S.M. 74	750 x 550	4,5936	6,8904	11,2288	15,5672	20,9264	24,7544	31,9	50,0888
PARVA II IIB	915 x 680	5,6144	9,6976	15,8224	19,6504	28,5824	33,4312	45,1704	70,5048
PARVA II-C	925 x 700	5,8696	10,208	16,0776	20,6712	29,6032	34,7072	46,4464	72,732
PARVA III	975 x 720	6,38	11,2288	16,8432	22,4576	32,1552	38,28	50,0192	78,1608
SPEED 102	1030 x 735	7,656	12,5048	18,6296	24,244	32,9208	38,7904	54,1024	84,5408
KOMORI L40	1030 x 755	7,9112	12,76	19,14	25,0096	33,9416	40,0664	55,8888	87,0928
REKORD IIIB	1030 x 795	8,1664	12,76	19,6504	25,7752	34,452	41,5976	59,7168	93,148
MITSUBI 3F	1030 x 820	9,9528	15,8224	24,7544	31,9	35,728	44,1496	72,732	111,6616
KBA 104/105	1045 x 750	9,4424	15,312	22,968	30,8792	35,4728	43,1288	68,6488	107,184
ROLAND 700	1050 x 780	9,9528	15,8224	23,9888	31,9	35,728	44,4048	69,9248	109,504
ULTRA IV	1140 x 880	10,208	16,0776	25,0096	32,1552	35,9832	44,66	73,2424	114,5152
ULTRA V	1280 x 980	14,2912	22,4576	34,7072	43,6392	62,0136	76,0496	101,5696	158,8736
ROLAND 800	1280 x 1110	16,0776	25,7752	36,7488	50,7848	71,7112	85,492	114,3296	178,64
ULTRA V W	1310 x 1000	16,3328	26,0304	38,28	51,04	72,732	86,768	115,3504	180,2408
ROLAND 800	1310 x 1110	16,3328	26,2856	39,8112	51,2952	73,2424	87,2784	116,6264	182,1432
ROLAND 800	1410 x 1110	19,3952	32,1552	47,9776	61,248	87,0232	102,3352	138,8288	216,92
ROLAND 900	1440 x 1050	19,14	31,3896	47,212	60,4824	85,492	100,804	136,532	212,1408
KBA 142	1440 x 1080	19,3952	31,9	47,7224	61,248	86,768	102,08	138,5736	216,5952
ULTRA VI	1440 x 1110	19,9056	32,9208	48,7432	62,524	88,8096	104,3768	141,636	221,3976
ROLAND 800	1620 x 1190	20,9264	41,8528	62,7792	82,94	122,7512	139,084	178,8952	279,444
ROLAND 800	1620 x 1270	26,0304	48,2328	74,008	97,4864	135,256	158,4792	215,8992	337,5136
KBA 162	1640 x 1150	24,244	44,4048	68,1384	89,8304	124,5376	145,9744	198,8008	310,7176
KBA 162-A	1640 x 1240	26,5408	48,9984	80,388	101,3144	140,6152	164,3488	221,5136	344,1952
ROLAND 900	1640 x 1250	26,5408	48,9984	80,388	101,3144	140,6152	164,3488	221,5136	344,1952
FORMATO 8	1780 x 1270	375,144	375,144	375,144	375,144	375,144	375,144	375,144	375,144

UNE COMMANDE MINIMALE DE 10 FEUILLES PAR FORMAT / UNE GROSSEUR



Morocco

Telf. 0 698 149 124

www.stilgrafic.com • email. stilgrafic@stilgrafic.es

España

Telf. 672 181 912

www.stilgrafic.com • email. stilgrafic@stilgrafic.es